

INTERNAL PLYBOND TESTER

Model: IPT/A

Linux Internal Plybond Tester is applied to testing internal bond strength of paper board. The paper board sample is impact in a certain angle and weight, the energy it has absorbed indicates the internal bonding strength. it could five samples at a time.

Applications:

- Paper
- Paperboard

Specifications:

- Sample Size: 1 x 1 inch
- Measuring Range: 0 - 1.05 Ft/lb
- Clamping Pressure: 50 to 200 PSI
- Impact Angle: 90

Features:

- Readings directly on calibrated scale.
- Compact structure design.
- Adjustable clamp pressure.
- Elegant appearance.
- Easy to operate.

Standard:

- TAPPI T 569

Dimensions:

- Depth: 450 mm
- Height: 650 mm
- Width: 700 mm

Weight:

- Net Weight: 70 kg.
- Gross Weight: 105 kg.

